

Application No. 09/847,170  
Response dated May 3, 2005  
Reply to Office Action dated February 4, 2005

LISTING OF CLAIMS:

This listing of the claims will replace all prior versions, and listings, of claims in the application.

1. (Cancelled).
2. (Cancelled).
3. (Cancelled).
4. (Cancelled).
5. (Cancelled).
6. (Cancelled).
7. (Cancelled).
8. (Cancelled).
9. (Cancelled).
10. (Cancelled).
11. (Cancelled).
12. (Cancelled).
13. (Cancelled).
14. (Cancelled).
15. (Cancelled).
16. (Cancelled).
17. (Cancelled).

Application No. 09/847,170  
Response dated May 3, 2005  
Reply to Office Action dated February 4, 2005

18. (Cancelled).
19. (Cancelled).
20. (Cancelled).
21. (Cancelled).
22. (Cancelled).
23. (Cancelled).
24. (Cancelled).
25. (Cancelled).
26. (Cancelled).
27. (Cancelled).
28. (Cancelled).
29. (Cancelled).
30. (Cancelled).
31. (Cancelled).
32. (Cancelled).
33. (Cancelled).
34. (Cancelled).
35. (Cancelled).
36. (Cancelled).
37. (Cancelled).

Application No. 09/847,170  
Response dated May 3, 2005  
Reply to Office Action dated February 4, 2005

38. (Cancelled).

39. (Cancelled).

40. (Cancelled).

41. (Cancelled).

42. (Cancelled).

43. (Cancelled).

44. (Cancelled).

45. (Cancelled).

46. (Cancelled).

47. (Cancelled).

48. (Cancelled).

49. (Cancelled).

50. (Cancelled).

51. (Previously Presented) In an ad-hoc, peer-to-peer radio system comprising a series of radio terminals, each said radio terminal comprising transceiver means for transmitting and receiving signals from other like terminals of said series of terminals, computer means and memory means for storing program software means therein, said radio system based on time-dependent messaging having multiple parallel data channels and a control channel, the improvement comprising:

said memory means of each said radio terminal storing registration information about any

other said radio terminal serving as a node therefore through which it has been registered for forming a call-connection routing path; and

said memory means of each said radio-terminal also storing registration information about any other said radio terminal for which it serves as a node therefore through which said any other radio terminal has been registered.

52. (Previously Presented) An ad-hoc, peer-to-peer radio system according to claim 51, wherein said software means comprises updating means for updating said memory means; said updating means changing said registration information in order to reflect any changes in said nodes.

53. (Previously Presented) The an ad-hoc, peer-to-peer radio system according to claim 52, wherein said updating means comprises means for unregistering another said radio terminal, which had been registered with it, from said memory means.